

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012768.01-R1
DATE: 08/04/2015
CERTIFICATION PROGRAM: Structural
COMPANY: American Opening
CODE: 1348-1
REVISION DATE: 10/30/2018

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
American Openings, Inc. 6885 E. Southpointe Road Tuscon, AZ 85734	<p style="text-align: center;">Series "V-310"</p> <p style="text-align: center;">Vinyl Single Hung Window</p> <p style="text-align: center;">(Modified Sill Weep)</p> <p style="text-align: center;">Configuration: O/X Glazing: Insulating Glass (Annealed)</p> <p>Frame: W-1207mm(47.50") H-1816mm(71.50")</p> <p>Sash: W-1151mm(45.31") H-903mm(35.56")</p> <p>DLO: W-1111mm(43.75") H-813mm(32.00")</p>

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/LS.2/A440-11 AAMA/WDMA/CSA 101/LS.2/A440-08 AAMA/WDMA/CSA 101/LS.2/A440-05 CSA A440S1-09	<p style="text-align: center;">Class R-PG30 1207 x 1816 (48 x 72)-H</p> <p style="text-align: center;">Design Pressure: ± 1920 Pa (40 psf)</p> <p style="text-align: center;">Water Penetration Resistance Pressure: 220 Pa (4.66 psf) Canadian Air Infiltration Exfiltration Level: A2</p>

Product Tested By: Architectural Testing, Inc.
Report No: E4256.02-501-47
Expiration Date: January 31, 2029

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
 Fax: (804) 684-5122