

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: N1014285.03
DATE: 12/20/2018
CERTIFICATION PROGRAM: Structural
COMPANY: American Openings
CODE: 1348-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|--|
| American Openings, Inc. 6885 E. Southpointe Road Tucson, AZ 85734 | <p style="text-align: center;">Series "CA 420"</p> <p style="text-align: center;">Vinyl Out-Swing Casement Window</p> <p style="text-align: center;">(w/Reinforced Stiles & 3 Snubbers)</p> <p style="text-align: center;">Configuration: X Glazing: Insulating Glass (Annealed)</p> <p> Frame: W-940mm(37") H-1905mm(75") Panel: W-876mm(34.5") H-1842mm(72.5") DLO: W-794mm(31.25") H-1759mm(69.25") </p> |

| SPECIFICATION | PRODUCT RATING |
|---|---|
| AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05 | <p style="text-align: center;"> Class LC-PG45 940 x 1905 (37 x 75)-C C-LC45 940 x 1905 (37 x 75) Design Pressure: ±2160 Pa (45 psf) Water Penetration Resistance Pressure: 580 Pa (12.12 psf) </p> |

Product Tested By: Intertek, PLC
Report No: C8900.05-501-47
Expiration Date: December 31, 2022

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
 Fax: (804) 684-5122