

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI014284.04  
**DATE:** 12/20/2018  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** American Openings  
**CODE:** 1348-1

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
American Openings, Inc. 6885 E. Southpointe Road Tucson, AZ 85734	Series "CA 410" Vinyl Awning Window (w/Reinforced Rails) Configuration: X Glazing: Insulating Glass (Annealed) Frame: W-914mm(36") H-610mm(24") Panel: W-851mm(33.5") H-546mm(21.5") DLO: W-768mm(30.25") H-464mm(18.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/LS.2/A440-11 AAMA/WDMA/CSA 101/LS.2/A440-08 AAMA/WDMA/CSA 101/LS.2/A440-05	Class LC-PG50 914 x 610 <sup>A</sup> (36 x 24 <sup>A</sup> )-AP AP-C50 914 x 610 <sup>B</sup> (36 x 24 <sup>B</sup> ) Design Pressure: ±2400 Pa (50 psf) Positive Design Pressure: 3600 Pa (75 psf) Negative Design Pressure: 3600 Pa (75 psf) Water Penetration Resistance Pressure: 360 Pa (7.52 psf)

Product Tested By: Intertek, PLC  
 Report No: C8901.06-501-47  
 Expiration Date: December 31, 2022

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
 Hayes, VA 23072  
 Tel: (804) 684-5124  
 Fax: (804) 684-5122