

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved
OMB No. 44-R1387

MATERIAL SAFETY DATA SHEET

SECTION I - GENERAL INFORMATION

MANUFACTURER'S NAME GTM INDUSTRIES, INC	EMERGENCY TELEPHONE No. 909-371-1598
ADDRESS (Number, Street, City, State, and ZIP Code) 1820 Railroad Street, Corona, California 92880-2512	DATE March 30, 2004
CHEMICAL NAME AND SYNONYMS: N/A	TRADE NAME AND SYNONYMS: NONE
CHEMICAL FAMILY: N/A	FORMULA: GTM 238 <i>Water Resistant Glue</i>

SECTION II - HAZARDOUS INGREDIENTS

PAINTS PRESERVATIVES, & SOLVENTS: **NO** TLV (LIMITS) ALLOYS AND METALLIC COATINGS: **NO** TLV (LIMITS)

PIGMENTS	N/A	BASE METAL	N/A
CATALYST	N/A	ALLOYS	N/A
VEHICLE	N/A	METALLIC COATINGS	N/A
SOLVENTS	N/A	PURE METAL	N/A
ADDITIVES	N/A	PLUS COATING OR CORE FLUX	N/A
OTHERS	N/A	OTHERS	N/A

HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES NO % TLV

This product contains a small amount of vinyl acetate monomer, which has been reported to cause tumors in laboratory animals. VA is not listed by OSHA, NTP or International agency for research on cancer as a suspect or proven carcinogen. There is no evidence that it causes cancer in humans. This product is not hazardous by definition in 21CFR section 175.105 for food package adhesive.

SECTION III - PHYSICAL DATA

BOILING POINT (F) @760mm Hg	230F	SPECIFIC GRAVITY (H20=1) Approx.	1:1
VAPOR PRESSURE (mm Hg)	N/A	EVAPORATION RATE Approx. BY VOLUME (%)	+51% Mostly water
VAPOR DENSITY (AIR =1)	N/A	Volatle Organic Compounds	NONE
SOLUBILITY IN WATER	DISPERSIBLE		

APPEARANCE AND ODOR - *Light white liquid non-aggressive odor.*

SAFELY CONSIDERED NON PHOTO CHEMICALLY REACTIVE

SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT (METHOD USED)	N/A	FLAMMABLE LIMITS	N/A Lel Uel
EXTINGUISHING MEDIA	WATER		
SPECIAL FIRE FIGHTING PROCEDURES	WATER BASED ADHESIVE. USE STANDARD FIRE FIGHTING PROCEDURES.		
UNUSUAL FIRE AND EXPLOSION	N/A		

DISCLAIMER . WHILE THE INFORMATION CONTAINED HEREIN IS CORRECT TO THE BEST OF OUR KNOWLEDGE, NO GUARANTEE AS TO THE RESULTS OBTAINED IS OFFERED. WE STRONGLY RECOMMEND THAT THE USER EVALUATE AND TEST THE MATERIALS TO DETERMINE SUITABILITY OF USE. SELLER NEITHER MAKES NOR AUTHORIZES ANY REPRESENTATION WARRANTY EXPRESSED OR IMPLIED CONCERNING THE USE, FITNESS FOR PARTICULAR PURPOSES AND RELIABILITY OF THIS PRODUCT EITHER WHEN USED ALONE OR IN COMBINATION WITH OTHER PRODUCTS, NOR DO WE ADVISE THE USE OF SAME WHICH WILL INFRINGE ON ANY PATENT OR COPYRIGHTS

SECTION V - HEALTH HAZARD INFORMATION/ FIRST AID

THRESHOLD LIMIT VALUE N/A

EFFECTS OF OVEREXPOSURE N/A

EMERGENCY AND FIRST AID PROCEDURES

Wash down with tap water

SECTION VI - REACTIVITY DATA

STABILITY	UNSTABLE	N/A	CONDITIONS TO AVOID:
	STABLE	N/A	NONE

INCOMPATIBILITY (MATERIALS TO AVOID) N/A

HAZARDOUS DECOMPOSITION PRODUCTS NONE

HAZARDOUS POLYMERIZATION	MAY OCCUR	N/A	CONDITIONS TO AVOID:
	WILL NOT OCCUR	N/A	NONE

SECTION VII - SPILL, LEAK AND DISPOSAL PROCEDURE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Collect leaking liquid in sealable containers. Absorb spilled liquid in sand or inert absorbent and remove to a safe place. For small spills (probably less than 100 gallons), dilute 50 to 100 fold with water. Wash into industrial sewer with tap water. (WARNING: Consult local sewer authority before discharging).

WASTE DISPOSAL METHOD

Consult a certified waste disposal contractor for disposal in accordance with all federal, state and local regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)	N/A		
VENTILATION			
LOCAL EXHAUST	N/A	SPECIAL	N/A
MECHANICAL	N/A	OTHER	N/A
PROTECTIVE GLOVES	N/A	EYE PROTECTION	N/A
OTHER PROTECTIVE EQUIPMENT	N/A		

SECTION IX - SPECIAL PRECAUTIONS AND LABEL INFORMATION

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE	N/A
OTHER PRECAUTIONS	N/A